LIST OF PUBLICATIONS

Most of the papers on this list are available from my homepage:
staff.math.su.se/shapiro

References

[1] E. Horozov, B. Shapiro, and M. Tater, In search of a higher Bochner theorem, Journal of Approximation Theory 305 (2025) 106114.

[2] N. Hemmingsson, I, Sechiin, B. Shapiro, A. Veselov, Holomorphic correspondences with finite orbits and Poncelet curves, in preparation

[3] B. Shapiro, M. Shapiro, Unimodal decompositions of probability distributions and Maxwell's conjecture, in preparation.

[4] P. Alexandersson, P. Bränden, B. Shapiro, An inverse problem in Polya-Schur theory. II. Exactly solvable operators and complex dynamics, in preparation.

[5] P. Alexandersson, P. Bränden, B. Shapiro, An inverse problem in Polya-Schur theory. I. Non-degenerate and degenerate operators, http://arxiv.org/abs/2404.14365, submitted.

[6] R. Bøgvad, B. Shapiro, G. Tahar, S. Warakkagun, Translation geometry of Pólya's shires, in preparation.

[7] A. Kirillov, G. Nenashev, B. Shapiro, A. Vaintrob, Bizonotopal graphical algebras, arXiv:2407.19431, submitted.

[8] B. Shapiro, Exactly solvable operators and Heine-Stieltjes theory, 354 pp, draft of a book, submitted for publication to De Gruyter.

[9] O. Katkova, B. Shapiro, and A. Vishnyakova, In search of Newton-type inequalities, arXiv:2403.12200, JMAA, Volume 538, Issue 1, 1 October 2024, 128349.

[10] Ch. Hägg, B. Shapiro, Shadows of polynomials and Gauss-Lucas theorem, in preparation.

[11] J. Borrego-Morell, B. Shapiro, Semiclassical expansion for exactly solvable differential operators, arXiv:2402.19087, submitted.

[12] D. Giandinoto, B. Shapiro, A.Wennman, Eigenvalue asymptotic of banded Kac-Murdock-Szegö matrices and their perturbations, in preparation.

[13] B. Shapiro, F. Stampach, Errata to "Non-self-adjoint Toeplitz matrices whose principal submatrices have real spectrum", February 2023, Constructive Approximation, DOI: 10.1007/s00365-022-09614-0.

[14] P. Alexandersson, N. Hemmingsson, D. Novikov, B. Shapiro, G. Tahar, On boundary points of minimal continuous Hutchinson invariant sets, arXiv:2406.10963, submitted.

[15] B. Shapiro, I. Smirnov, A. Vaintrob, Deformed graphical zonotopal algebras, arXiv:2204.11331, submitted.

[16] B. Shapiro, M. Shapiro, Corrigendum to "On two conjectures concerning convex curves", by V. Sedykh and B. Shapiro, Int. J. Math., v. 33, iss. 4 (2022) 2292002; https://doi.org/10.1142/S0129167X22920021.

[17] A. Libgober, and B. Shapiro, Meromorphic functions without real critical values and related braids, European Journal of Mathematics volume 9, Article number: 70 (2023).

[18] N. Saldanha, B. Shapiro, M. Shapiro, Finiteness of rank for Grassmann convexity, arXiv:2110.07389, February 2023, C. R. Math. Acad. Sci. Paris 361 (2023), 445–451, DOI: 10.5802/crmath.343.

[19] P. Alexandersson, N. Hemmingsson, D. Novikov, B. Shapiro, G. Tahar, Linear first order differential operators and complex dynamics, Journal of Differential Equations, Volume 391, 15 May 2024, Pages 265–320.

[20] K. Kohn, R. Piene, K. Ranestad, F. Rydell, B. Shapiro, R. Sinn, M-S. Sorea, S. Telen, Adjoints and canonical forms of polypols, Documenta Mathematica, to appear.

[21] R. Piene, C. Riener, and B. Shapiro, Return of the plane evolute, Annales de l'institut Fourier, to appear.

[22] B. Shapiro, M. Tater, On spectral asymptotics of quasi-exactly solvable quartic potential, Analysis and Mathematical Physics (2022) 12 (2022), no. 1, Paper No. 2, https://doi.org/10.1007/s13324-021-00612-2.

[23] R. Bøgvad, Ch. Hägg, B. Shapiro, Rodrigues' descendants of a polynomial and Boutroux curves, Constructive Approximation, Volume 59, pages 737–798, (2024), DOI 10.1007/s00365-023-09657-x.

[24] Ch. Hägg, B. Shapiro, and M. Shapiro, Introducing isodynamic points for binary forms and their ratios, arXiv:2207.01658, Complex Analysis and its Synergies, volume 9, Article number: 2 (2023).

[25] D. Novikov, B. Shapiro, and G. Tahar, On limit sets for geodesics of meromorphic connections, J. Dyn. Control Syst. 29 (2023), no. 1, 5570. 37 (32), DOI 10.1007/s10883-021-09584-9.
[26] Y. Baryshnikov, B. Shapiro, Quadratic differentials and signed measures, J. Anal. Math. 144 (2021), no. 1, 1–19.
[27] B. Shapiro, and G. Tahar, On the existence of quasi-Strebel structures for meromorphic k-differentials, Enseign. Math. 67 (2021), no. 1-2, 187–207.
[28] R. Bøgvad, I. Ndikubwayo, B. Shapiro, Generalizing Tran's conjecture, Elect. J. of Math. Anal., Vol. 8(2) July 2020, pp. 346–351.
[29] N. Saldanha, B. Shapiro, M. Shapiro, Grassmann convexity and multiplicative Sturm theory, revisited, Moscow Math. J., Volume 21, Number 3, July–September 2021, Pages 613–637.
[30] L. Lang, B. Shapiro, E. Shustin, On the number of intersection points of the contour of an amoeba with a line, Indiana Univ. Math. J., Vol. 70, No. 4, 1335–1353 (2021).
[31] Yu. Burman, R. Fröberg, B. Shapiro, Algebraic relations among harmonic and anti-harmonic moments of plane polygons, IMRN 2021, no. 14, 11140–11168.
[32] Vl. Kostov, B. Shapiro, New aspects of Descartes' rule of signs, in book "Polynomials - Theory and Applications", DOI: 10.5772/intechopen.82040.
[33] G. Katz, B. Shapiro, V. Welker, Real univariate polynomials with constrained multiplicities of real zeros, II. (Co)homology and stabilization, arXiv:2112.15205, submitted.
[34] G. Katz, B. Shapiro, V. Welker, Real polynomials with constrained multiplicities of real zeros, I. Fundamental group, November 2023, Journal of Topology and Analysis, DOI: 10.1142/S1793525323500553.
[35] K. Kohn, B. Shapiro, and B. Sturmfels, Moment varieties of measures on polytopes, Annali della Scuola Normale Superiore di Pisa 21 (2020) 739–770, DOI: 10.2422/2036-2145.201808-003.
[36] T. Grøsfjeld, B. Shapiro, K. Zarembo, On level crossing in random matrix pencils. II. Random perturbation of a random matrix, J. Phys. A 52 (2019), no. 21 https://doi.org/10.1088/1751-8121/ab1733
[37] N. Gravin, D. V. Pasechnik, B. Shapiro, M. Shapiro, On moments of a polytope, Analysis and Math. Phys., 8(2), (2018) 255–287, DOI: 10.1007/s13324-018-0226-8.
[38] R. Fröberg, S. Lundqvist, A. Oneto, and B. Shapiro, Algebraic stories from one and from the other pockets, Arnold Mathematical Journal 4(2), (2018), 137–160, https://doi.org/10.1007/s40598-018-0088-z.
[39] S. Lundqvist, A. Oneto, B. Reznick, and B. Shapiro, On generic and maximal k-ranks of binary forms, J. of Pure and Applied Algebra, 223 (2019) 2062–2079, DOI: 10.1016/j.jpaa.2018.08.015.
[40] D. Dimitrov, B. Shapiro, Electrostatic problems with a rational constraint and degenerate Lamé operators, Potential Analysis, 52(4), 645-659, DOI: 10.1007/s11118-018-9754-y.
[41] Vl. Kostov, B. Shapiro, Polynomials, sign patterns, and Descartes' rule, Acta Universitatis Matthiae Belii series Mathematics, Issue 2019, 1–11.
[42] B. Shapiro, F. Štampach, Non-selfajoint Toeplitz matrices whose principal submatrices have real spectrum, Constr. Approx. 49 (2019), no. 2, 191–226, https://doi.org/10.1007/s00365-017-9408-0.
[43] G. Nenashev, B. Shapiro, M. Shapiro, Secant degeneracy index of the standard strata in the space of binary forms, Arnold Mathematical Journal, 3(4), (2018) 499–510, https://doi.org/10.1007/s40598-017-0077-7.
[44] A. F. Costa, S. Natanzon, and B. Shapiro, Topological classification of generic real meromorphic functions, Annales Academiae Scientiarum Fennicae Mathematica (2018) 43 349–363.
[45] B. Shapiro, M. Tater, On spectral asymptotics of quasi-exactly solvable sextic, Exp. Math. 28 (2019), no. 1, 16–23, https://doi.org/10.1080/10586458.2017.1325792.
[46] J. Forsgård, D. Novikov, B. Shapiro, A tropical analog of Descartes' rule of signs, Int. Math. Res. Notices (2017), issue 12, 3726–3750.
[47] G. Nenashev, B. Shapiro, "K-theoretic" analogs of Postnikov-Shapiro algebra distinguishes graphs, Journal of Combinatorial Theory, Series A 148 (2017) 316–332.
[48] Y. Burman, B. Shapiro, On Hurwitz-Severi numbers. Ann. Sc. Norm. Super. Pisa Cl. Sci. (5) 19 (2019), no. 1, 155–167. 14H50 (14H51), DOI Number: $10.2422/2036-2145.201605_011$.
[49] B. Shapiro, K. Zarembo, On level crossing in random matrix pencils. I. Random perturbation of a fixed matrix, Journal of Physics A: Mathematical and Theoretical, Volume 50(4).
[50] B. Shapiro, A. Solynin, Root-counting measures of Jacobi polynomials and topological types and critical geodesics of related quadratic differentials, in "Analysis meets geometry: A Tribute to Mikael Passare, Trends in Mathematics", 369–438, Springer 2017.
[51] R. Bøgvad, B. Shapiro, On mother body measures with algebraic Cauchy transform, L'Enseignement Math., vol. 62, (2016) 117–142. DOI 10.4171/LEM/62-1/2-8

[52] P. Bränden, I. Krasikov, B.Shapiro, Elements of Pólya-Schur theory in finite-difference setting, Proc. of the AMS, vol. 144, issue 11 (2016) 4831–4843.
[53] R. Fröberg, B. Shapiro, On Vandermonde varieties, Mathematica Scandinavica, vol. 119, (2016) 73–91.
[54] D. Novikov, B. Shapiro, On global non-oscillation of linear ordinary differential equations with polynomial coefficients, J. Differential Equations vol 261, issue 7 (2016) 3800–3814, doi:10.1016/j.jde.2016.06.008.
[55] J. Forsgård, Vl. Kostov, B. Shapiro, Could René Descartes have known this? Experimental Mathematics, vol 24, issue 4, (2015) 438–448.
[56] B. Shapiro, Problems with polynomials - the good, the bad, and the ugly, Arnold Mathematical Journal: vol 1, issue 1 (2015), 91–99.
[57] J. Ongaro, B. Shapiro, A note on planarity stratification of Hurwitz spaces, Canadian Mathematical Bulletin vol 58, issue 3 (2015) 596–609. http://dx.doi.org/10.4153/CMB-2015-015-x.
[58] B. Shapiro, On Evgrafov-Fedoryuk's theory and quadratic differentials, Anal. Math. Phys. vol 5 (2015) 171–181, DOI 10.1007/s13324-014-0092-y.
[59] Y. Baryshnikov, B. Shapiro, How to run a centipede: a topological perspective, Geometric Control Theory and Sub-Riemannian Geometry, Springer International Publishing, (2014), 37–51.
[60] P. Alexandersson, B. Shapiro, Around multivariate Schmidt-Spitzer theorem, Lin. Algebra Appl., vol 446 (2014), 356–368.
[61] D. Pasechnik, B. Shapiro, On polygonal measures with vanishing harmonic moments, Journal d'Analyse mathematique, vol 123, issue 1 (2014) 281–301.
[62] V. Kostov, B.Shapiro, Hardy-Petrovich-Hutchinson's problem and partial theta function, Duke Math. J. vol 162, issue 5 (2013) 889–924.
[63] R. Fröberg, G. Ottaviani, and B. Shapiro, On the Waring problem for polynomial rings, PNAS, vol 109, issue 15 (2012), 5600–5602.
[64] N. Saldanha, and B. Shapiro, Spaces of locally convex curves in S^n and combinatorics of the group B^+_{n+1}, J. of Singularities, vol 4 (2012), 1–22.
[65] B. Shapiro, M. Shapiro, A few riddles behind Rolle's theorem, Amer. Math. Monthly, vol 119, issue 9 (2012) 787–793.
[66] P. Alexandersson, B. Shapiro, Discriminants, symmetrized graph monomials, and sums of squares, Experimental Math. vol 21, issue 4 (2012), 353–361.
[67] O. Katkova, B. Shapiro, and A. Vishnyakova, Multiplier sequences and logarithmic mesh, Comptes Rendus Mathematique vol 349, issue 1–2 (2011) 35–38.
[68] A. Khoroshkin, B. Shapiro, Using homological duality in consecutive pattern avoidance, Electr. J. Comb., vol 18, issue 2 (2011), #P9.
[69] V. Kostov, B. Shapiro, and M. Tyaglov, Maximal univalent disks of real rational functions and Hermite-Biehler polynomials, Proc. Amer. Math. Soc. vol 139, issue 5 (2011) 1625–1635.
[70] M. Passare, M. Rojas, and B. Shapiro, New multiplier sequences via discriminant amoebae, Moscow Math. J. vol 11, issue 3 (2011) 547–560.
[71] J. Borcea, S. Friedland, and B. Shapiro, Parametric Poincaré-Perron theorem with applications, Journal d'Analyse mathematique vol 113, issue 1 (2011) 197–225.
[72] B. Shapiro, K. Takemura, and M. Tater, On spectral polynomials of the Heun equation. II, Comm. Math. Phys. vol 311, issue 2 (2012), 277–300.
[73] T. Holst, and B. Shapiro, On higher Heine-Stieltjes polynomials, Isr. J. Math. vol 183 (2011) 321–347.
[74] B. Shapiro, and M. Tater, On spectral polynomials of the Heun equation. I, JAT, vol 162 (2010) 766–781.
[75] B. Shapiro, Algebro-geometric aspects of Heine-Stieltjes theory, J. London Math. Soc. vol 83, issue 1 (2011) 36–56.
[76] V. Kostov, A. Martínez-Finkelshtein, and B. Shapiro, Narayana numbers and Schur-Szegö composition, JAT, vol 161 (2009) 464-476.
[77] A. Guterman, and B. Shapiro, On linear operators preserving the set of positive polynomials, JFPTA, vol 3, issue 2 (2009) 411–429.
[78] B. Shapiro, and M. Shapiro, On eigenvalues of rectangular matrices, Proc. Steklov Math. Inst. vol. 267, issue 1 (2009) 248–255.
[79] J. Borcea, R. Bøgvad and B. Shapiro, Homogenized spectral pencils for exactly solvable operators: asymptotics of polynomial eigenfunctions, Publ. RIMS, vol 45 (2009) 525–568. Corrigendum: "Homogenized spectral pencils for exactly solvable operators: asymptotics of polynomial eigenfunctions", Publ. RIMS, vol 85 (2012) 229–233.
[80] A. Gabrielov, A. Eremenko, and B. Shapiro, High energy eigenfunctions of one-dimensional Schrödinger operators with polynomial potentials, Comput. Methods Funct. Theory, vol 8, issue 2 (2008) 513–529.

[81] J. Borcea, B. Shapiro, Root asymptotics of spectral polynomials for the Lamé operator, Comm.Math.Phys, vol 282 (2008) 323–337.
[82] A. Gabrielov, A. Eremenko, and B. Shapiro, Zeros of eigenfunctions of some anharmonic oscillators, Annales de l'institut Fourier, vol 58, issue 2 (2008) 603–624.
[83] M. Kazarian and B. Shapiro, A Giambelli-type formula for subbundles of the tangent bundle, Pacific J. Math. vol 230, issue 1 (2007) 233–255.
[84] V. Kostov, and B. Shapiro, On the Schur-Szegö composition of polynomials, C. R. Math. Acad. Sci. Paris vol 343, issue 2 (2006) 81–86.
[85] A. Degtyarev, T. Ekedahl, I. Itengberg, B. Shapiro, and M. Shapiro, On total reality of meromorphic functions, Annales de l'institut Fourier, vol 57, issue 6 (2007) 2015–2030.
[86] T. Ekedahl, B. Shapiro, and M. Shapiro, First step towards total reality of meromorphic functions, Mosc. Math. J. vol 6, issue 1 (2006) 95–106.
[87] Yu. Burman and B. Shapiro, Around matrix-tree theorem, Math. Res. Lett. vol 13, issue 5–6 (2006) 761–774.
[88] J. Borcea, R. Bøgvad, and B. Shapiro, On rational approximation of algebraic functions, Adv. Math. vol 204, issue 2 (2006) 448–480.
[89] A. Gabrielov, D. Novikov, and B. Shapiro, Mystery of point charges, Proc. London Math. Soc. (3) vol 95, issue 2 (2007) 443–472.
[90] J. Borcea and B. Shapiro, Classifying real polynomial pencils, Int. Math. Res. Not. vol 69 (2004) 3689–3708.
[91] J. Borcea and B. Shapiro, Hyperbolic polynomials and spectral order, C. R. Math. Acad. Sci. Paris, vol 337, issue 11 (2003) 693–698.
[92] A. Postnikov and B. Shapiro, Trees, parking functions, syzygies, and deformations of monomial ideals, Trans. Amer. Math. Soc. vol 356, issue 8 (2004) 3109–3142.
[93] V. Sedykh and B. Shapiro, On two conjectures concerning convex curves, Internat. J. Math. vol 16, issue 10 (2005) 1157–1173.
[94] B. Shapiro, M. Shapiro and A. Vainshtein, Periodic de Bruijn triangles: exact and asymptotic results, Discrete Math. vol 298 issue 1–3 (2005) 321–333.
[95] B. Shapiro, Underground "Jewish University", Multiple facets of quantization and supersymmetry, World Sci. Publishing, River Edge, NJ (2002) 36–39.
[96] T. Bergkvist, H. Rullgård and B. Shapiro, On Bochner-Krall orthogonal polynomial systems, Math. Scand. vol 94, issue 1 (2004) 148–154.
[97] B. Shapiro and A. Vainshtein, Counting real rational functions with all real critical values. Dedicated to V. I. Arnold on occasion of his 65th birthday, Moscow Math. J. vol 3, issue 2 (2003) 647–659.
[98] S. Natanzon, B. Shapiro and A. Vainshtein, Topological classification of generic real rational functions, J. Knot Theory Ramifications, vol 11, issue 7 (2002) 1063–1075.
[99] V. Kostov and B. Shapiro, On arrangements of roots for a real hyperbolic polynomial and its derivatives, Bull. Sci. Math. vol 126, issue 1 (2002) 45–60.
[100] G. Másson and B. Shapiro, On polynomial eigenfunctions of a hypergeometric-type operator, Experiment. Math. vol 10, issue 4 (2001) 609–618.
[101] B. Shapiro and A. Vainshtein, On the number of connected components in the space of M-polynomials in hyperbolic functions, Adv. in Appl. Math. vol 30, issue 1-2 (2003) 273–282.
[102] B. Shapiro, M. Shapiro, A. Vainshtein and A. Zelevinsky, Simply laced Coxeter groups and groups generated by symplectic transvections. Dedicated to W.Fulton on ocassion of his 60th birthday, Michigan Math. J. vol 48 (2000) 531–551.
[103] A. Postnikov, B. Shapiro, M. Shapiro, Algebras of Curvature Forms on Homogeneous Manifolds, Differential topology, Infinite-dimensional Lie algebras and applications, Amer. Math. Soc. Transl. Ser 2, vol 194, (2000) 227–235.
[104] B. Shapiro, M. Shapiro, Projective convexity in $\mathbb{P}^3$ implies Grassmann convexity, Internat. J. Math. vol 11, issue 4 (2000) 579–588.
[105] B. Khesin and B. Shapiro, Homotopy classification of non-degenerate quasi-periodic curves on the 2-sphere. Geometric combinatorics (Kotor, 1998), Publ. Inst. Math. (Beograde), (N.S) vol 66, issue 80 (1999) 127–156.
[106] B. Shapiro, M. Shapiro and A. Vainshtein, Skew-symmetric vanishing lattices and intersection of Schubert cells, Internat. Math. Res. Notices no. 11, (1998) 563–588.
[107] B. Shapiro, M. Shapiro, On ring generated by Chern 2-forms on $\mathbb{SL}_n/B$, C. R. Acad. Sci. Paris Sér. I Math. vol 326, issue 1 (1998) 75–80.
[108] M. Kazarian, R. Montgomery and B. Shapiro, Characteristic classes for the degenerations of two-plane fields in four dimensions, Pacific J. Math. vol 179, issue 2 (1997) 355–370.
[109] B. Shapiro, M. Shapiro and A. Vainshtein, On combinatorics and topology of pairwise Intersections of Schubert cells in $\mathbb{SL}_n/B$ (1997), Arnold-Gelfand Mathematical Seminars, Birkhäuser Boston, Boston, MA, 397–437.

[110] B. Shapiro, ∂-free maps satisfy the homotopy principle, Indag. Math. (NS) vol 9, issue 1 (1998) 107–111.

[111] B. Shapiro, M. Shapiro and A. Vainshtein, Connected components in the intersection of two open opposite Schubert cells in $SL_n(R)/B$, Internat. Math. Res. Notices, no. 10, (1997) 469–493.

[112] B. Shapiro, Discriminants of convex curves are homeomorphic, Proc. Amer. Math. Soc. vol 126, issue 7 (1998) 1923–1930.

[113] B. Shapiro, On the number of connected components of the space of trigonometric polynomials of degree n with $2n$ distinct critical values (in Russian), Mat. Zametki, vol 62 (1997), 635–640. (English transl. in Math. Notes vol 62, issue 3–4 (1997) 529–534.

[114] B. Shapiro and V. Welker, Combinatorics and topology of stratifications of the space of monic polynomials with real coefficients, Result. Math. vol 33, issue 3–4 (1998) 338–355.

[115] V. Sedykh and B. Shapiro, On Young hulls of convex curves in $\mathbb{R}^{2n}$, J. Geom. vol 63, issue 1–2 (1998) 168–182.

[116] B. Shapiro, Tree-like curves and their number of inflection points. Differential and symplectic topology of knots and curves, Amer. Math. Soc. Transl. Ser. 2 vol 190 (1999), 113–129.

[117] A. Gorodentsev and B. Shapiro, On associated discriminants for polynomials in one variable, Beiträge Algebra Geom. vol 39, issue 1 (1998) 53–74.

[118] B. Shapiro, M. Shapiro and A. Vainshtein, Ramified coverings of S^2 with one degenerate branching point and enumeration of edge-ordered graphs, Topics in singularity theory, Amer. Math. Soc. Transl. Ser. 2, vol 180 (1997) 219–227.

[119] B. Shapiro, Normal forms of the Whitney umbrella with respect to a cone-preserving contact group (Russian), Funktsional. Anal. i Prilozhen. vol 31, issue 4 (1997), 635–640 (English transl. in Funct. Anal. Applic. vol 31, issue 2 (1997) 91–94.

[120] B. Shapiro, M. Shapiro and A. Vainshtein, Kazhdan-Lusztig polynomials for certain varieties of incomplete flags. Disc. Math. vol 180 (1998) 345–355.

[121] B. Shapiro, On singularities of smooth maps to a space with a fixed cone, Math. Scand. vol 77, issue 1 (1995) 19–44.

[122] B. Shapiro, M. Shapiro, On the boundary of totally positive upper triangular matrices, Linear Algebra Appl. vol 231 (1995) 105–109.

[123] B. Shapiro, M. Shapiro and A. Vainshtein, Topology of intersections of Schubert cells and Hecke algebra. Discr. Math. vol 153, issue 1-3 (1996) 305–318.

[124] K. Jewell, P. Orlik and B. Shapiro, On the complements of affine subspace arrangements, Topology Appl. vol 56 (1994) 215–233.

[125] B. Shapiro, The mixed Hodge structure of the complement to an arbitrary arrangement of affine complex hyperplanes is pure, Proc. Amer. Math. Soc. vol 117, issue 4 (1993), 931–934.

[126] B. Khesin and B. Shapiro, Swallowtails and Whitney umbrellas are homeomorphic, J. Algebraic Geom. vol 1, issue 4 (1992) 549–560.

[127] B. Khesin and B. Shapiro, Nondegenerate curves on S^2 and orbit classification of the Zamolodchikov algebra, Comm. Math. Phys. vol 145 (1992) 357–362

[128] B. Shapiro and M. Shapiro, On the number of connected components in the space of closed non-degenerate curves on S^n, Bull. Amer. Math. Soc. (N.S.) vol 25, issue 1 (1991) 75–79.

[129] B. Shapiro and M. Shapiro, The M-property of flag varieties, Topology Appl. vol 43, issue 1 (1992) 65–81.

[130] B. Shapiro and A. Vainshtein, Euler characteristics for links of Schubert cells in the space of complete flags, Adv. Sov. Math. Theory of singularities and its applications vol 1 (1990), 273–286, AMS, Providence, RI.

[131] B. Shapiro, Spaces of linear differential equations and flag manifolds. (Russian) Izv. Akad. Nauk SSSR Ser. Mat. vol 54, issue 1 (1990), 173–187 (English transl. in Math. USSR - Izv. vol 36, issue 1 (1991), 183–197.

[132] V. Kostov and B. Shapiro, The flags in R^3, transversal to a given set of flags, form an M-manifold. (Russian), Vestnik Moskov. Univ. Ser. I Mat. Mekh. vol. 44 , issue 5, (1989) 26–30. (English transl. in Mosc. Univ. Math. Bull. vol 44, issue 5 (1989), 31–36)

[133] B. Shapiro, Linear differential equations and real flag manifolds. (Russian), Funktsional. Anal. i Prilozhen. vol 23, issue 1 (1989), 92–93. (English transl. in Funct. Anal. Appl. vol 23, issue 1 (1989), 82–83)

[134] A. Vainshtein and B. Shapiro, Singularities of the boundary of a domain of hyperbolicity. (Russian), Itogi Nauki i Tekhniki, Current problems in mathematics. Newest results, 236, Akad. Nauk SSSR, Vsesoyuz. Inst. Nauchn. i Tekhn. Inform., Moscow, vol 33 (1988), 193–214 (English transl. in J. Soviet Math. vol 52, issue 4 (1990), 3326–3337)

[135] A. Vainshtein and B. Shapiro, Multi-dimensional analogues of the Newton and Ivory theorems. (Russian), Funktsional. Anal. i Prilozhen. vol 19, issue 1 (1985), 20–24. (English transl. in Functional Anal. Appl. vol 19 (1985), 17–20)

[136] A. Vainshtein, L. Reitblat, and B. Shapiro, Asymptotic behavior of the solution of difference equations of two variables. (Russian), Differentsial' nye Uravneniya vol. 20, issue 8 (1984), 1433–1437. (no English translation available, recorded on Mathscinet)
[137] A. Vainshtein and B. Shapiro, Structure of a set of $\bar{a}$-representable numbers. (Russian), Izv. Vyssh. Uchebn. Zaved. Mat. (1980), issue 5, 8–11. (English transl. in Soviet Math. (Izv. VUZ) 1980.
[138] B. Shapiro, An algorithm for construction of a chain covering of an undirected graph. (Russian), Moskov. Inst. Inzh. Zheleznodorozh. Transporta Trudy, Prikl. Mat. i Zadachi Zheleznodorozh. Transporta, vol. 640 (1979), 138–142, (no English translation available, recorded on Mathscinet).

MISCELLANIA, CONFERENCE PROCEEDINGS, PREPRINTS ETC

[139] B. Shapiro, A. Vaintrob, On algebras and matroids associated to undirected graphs, arXiv:2005.06160.
[140] R. Bøgvad, D. Khavinson, B. Shapiro, On asymptotic Gauss-Lucas theorem, arXiv:1510.02339v1.
[141] B.Shapiro, M. Tater, Polynomial solutions of the Heun equation, Acta Polytechnica, vol 51(4), (2011) 90–94.
[142] B. Shapiro, M. Shapiro, Linear ordinary differential equations and Schubert calculus, Proc. of the 17-th Gökova Geometry and Topology conference, 2010, 79–87.
[143] B. Shapiro, Root asymptotics for the eigenfunctions of univariate differential operators, Acta Polytechnica, vol 50(5) (2010) 77–83.
[144] B. Shapiro, and M. Tater, Asymptotics of spectral polynomials, Acta Polytechnica vol 47(2-3) (2007) 32–35.
[145] B. Shapiro and A. Vainshtein, The Maslov index for a quadruple of Lagrangian planes and the index of a two-folded closed trajectory of the Birkhoff billiards in $\mathbb{R}^{n+1}$. (Russian), Proc. 13th USSR Sem. on Operator Theory in Functional Spaces, Kuĭbyshev (1988), 39 (no English translation available).
[146] B. Shapiro, M. Shapiro and A. Vainshtein, Generalized Lyashko–Looijenga map, ramified coverings of the sphere, and enumeration of edge-labeled k-trees, Proc. 8th Intl. Conf. on Formal Power Series and Algebr. Combinatorics, (1996), 421–426.
[147] B. Shapiro, M. Shapiro and A. Vainshtein, Magic of Entringer numbers and Olivier functions, Proc. 14th Intl. Conf. on Formal Power Series and Algebr. Combinatorics, (2002), 211–219.
[148] B. Shapiro and A. Vainshtein, About the Newtonian attraction of ellipsoids. (Russian) Kvant, issue 5 (1990), 18–25 (no English translation available and no record on Mathscinet)
[149] B. Shapiro, The boundary of disconjugate domain for linear Hamiltonian systems. (Russian), Uspekhi Mat. Nauk, vol 43, issue 4 (1988), 170–171 (no English translation available and no record on Mathscinet)
[150] A. Vainshtein and B. Shapiro, Singularities of hyperbolic polynomials and the boundary of a domain of hyperbolicity. (Russian), Uspekhi Mat. Nauk vol 40, issue 5 (1985), 305.
[151] A. Guterman and B. Shapiro, A note on positivity preservers, preprint available from my homepage.
[152] J-E.Björk, J.Borcea and B. Shapiro, Hypergeometric-type integrals and Fuchsian differential operators, preprint available from my homepage.

SOME UNFINISHED PROJECTS

[153] D. Novikov, B. Shapiro, Counting real zeros of exponential sums, in preparation.
[154] G. Nenashev, A. Postnikov, B. Shapiro, M. Shapiro, Algebras generated by curvature forms on $\mathbb{SL}_n/P$ and Schubert calculus, in preparation.
[155] Y. Burman, B. Shapiro, Inertia minimizers in the inverse moment problem in logarithmic potential theory, in preparation.
[156] T. Grøsfjeld, B. Shapiro, K. Zarembo, On level crossing in random matrix pencils. III. Analogs of Wigner's and Girko's laws, in preparation.